

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 1 из 8

Приложение 7. Дерево параметров TR-069.

В приложении приведен только основной список параметров (в соответствии с типом устройства: Low, Medium, B2B и другие).. Дополнительные параметры приведены в Приложении №1

Общие ноды

InternetGatewayDevice.Layer3Forwarding.DefaultConnectionService
InternetGatewayDevice.Layer3Forwarding.Forwarding.
InternetGatewayDevice.DeviceSummary
InternetGatewayDevice.Time
InternetGatewayDevice.LANDeviceNumberOfEntries
InternetGatewayDevice.WANDeviceNumberOfEntries
InternetGatewayDevice.Optical.
InternetGatewayDevice.Optical.Interface.{i}.
InternetGatewayDevice.Optical.Interface.{i}.LastChange
InternetGatewayDevice.Optical.Interface.{i}.OpticalSignalLevel
InternetGatewayDevice.Optical.Interface.{i}.TransmitOpticalLevel
InternetGatewayDevice.Optical.Interface.{i}.Stats.
InternetGatewayDevice.DeviceInfo.Manufacturer
InternetGatewayDevice.DeviceInfo.ManufacturerOUI
InternetGatewayDevice.DeviceInfo.ModelName
InternetGatewayDevice.DeviceInfo.Description
InternetGatewayDevice.DeviceInfo.SerialNumber
InternetGatewayDevice.DeviceInfo.HardwareVersion
InternetGatewayDevice.DeviceInfo.SoftwareVersion
InternetGatewayDevice.DeviceInfo.ProvisioningCode
InternetGatewayDevice.DeviceInfo.UpTime
InternetGatewayDevice.DeviceInfo.DeviceLog
InternetGatewayDevice.DeviceInfo.SupportedDataModel.{i}.
InternetGatewayDevice.DeviceInfo.TemperatureStatus.
InternetGatewayDevice.DeviceInfo.TemperatureStatus.TemperatureSensor.{x}.
InternetGatewayDevice.ManagementServer.URL
InternetGatewayDevice.ManagementServer.Username
InternetGatewayDevice.ManagementServer.Password
InternetGatewayDevice.ManagementServer.PeriodicInformEnable
InternetGatewayDevice.ManagementServer.PeriodicInformInterval
InternetGatewayDevice.ManagementServer.PeriodicInformTime
InternetGatewayDevice.ManagementServer.ParameterKey
InternetGatewayDevice.ManagementServer.ConnectionRequestURL
InternetGatewayDevice.ManagementServer.ConnectionRequestUsername
InternetGatewayDevice.ManagementServer.ConnectionRequestPassword
InternetGatewayDevice.LANConfigSecurity.ConfigPassword
InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceNumberOfEntries
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.MACAddress
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.DHCPServerConfigurable
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.DHCPServerEnable
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.MinAddress
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.MaxAddress
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.ReservedAddresses
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.SubnetMask
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.DNSServers
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.DomainName
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.IPRouters
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.IPInterfaceNumberOfEntries
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.IPInterface.{i}.Enable
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.IPInterface.{i}.IPInterfaceIPAddress
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.IPInterface.{i}.IPInterfaceSubnetMask
InternetGatewayDevice.LANDevice.{i}.LANHostConfigManagement.IPInterface.{i}.IPInterfaceAddressingType
InternetGatewayDevice.LANDevice.{i}.Hosts.HostNumberOfEntries
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.IPAddress
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.AddressSource
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.LeaseTimeRemaining
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.MACAddress
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.Layer2Interface
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.HostName
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.InterfaceType
InternetGatewayDevice.LANDevice.{i}.Hosts.Host.{i}.Active
InternetGatewayDevice.LANInterfaces.LANEthernetInterfaceNumberOfEntries
InternetGatewayDevice.Layer2Bridging.Bridge.{i}.
InternetGatewayDevice.Layer2Bridging.Bridge.{i}.Port{ i}.

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 2 из 8

InternetGatewayDevice.Layer2Bridging.Bridge.{i}.VLAN{i}.
InternetGatewayDevice.Layer2Bridging.Filter.{i}.
InternetGatewayDevice.Layer2Bridging.Marking.{i}.
InternetGatewayDevice.Layer2Bridging.AvailableInterface.{i}.
InternetGatewayDevice.WANDevice.{i}.WANConnectionNumberOfEntries
InternetGatewayDevice.WANDevice.{i}.WANCommonInterfaceConfig.
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnectionNumberOfEntries
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnectionNumberOfEntries
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Enable
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Reset
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.ConnectionStatus
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PossibleConnectionTypes
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.ConnectionType
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Name
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Uptime
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.LastConnectionError
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.RSIPAvailable
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.NATEnabled
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.AddressingType
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.ExternalIPAddress
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.SubnetMask
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.DefaultGateway
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.DNSEnabled
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.DNSOverrideAllowed
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.DNSServers
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.MACAddress
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.ConnectionTrigger
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.RouteProtocolRx
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.X_RTK_IGMPProxy
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.X_RTK_ServiceType
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.X_RTK_IPArpEnable
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.X_RTK_IPArpEcho
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.X_RTK_IPArpRetry
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.X_RTK_IP_Version
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMappingNumberOfEntries
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.PortMappingEnabled
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.PortMappingLeaseDuration
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.RemoteHost
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.ExternalPort
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.ExternalPortEndRange
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.InternalPort
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.PortMappingProtocol
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.InternalClient
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.PortMapping.{i}.PortMappingDescription
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetBytesSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetBytesReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetErrorsSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetErrorsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetUnicastPacketsSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetUnicastPacketsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetDiscardPacketsSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetDiscardPacketsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetMulticastPacketsSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetMulticastPacketsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetBroadcastPacketsSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetBroadcastPacketsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetUnknownProtoPacketsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetPacketsSent
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANIPConnection.{i}.Stats.EthernetPacketsReceived
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.Enable
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.Reset
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.ConnectionStatus
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.PossibleConnectionTypes
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.ConnectionType
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.PPPoESessionID
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.PPPoESessionID
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.Name
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.Uptime
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.LastConnectionError
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.RSIPAvailable
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.NATEnabled
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.Username
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.Password
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.ExternalIPAddress
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.DNSEnabled
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.DNSOverrideAllowed
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.DNSServers
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.MACAddress

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 3 из 8

InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.TransportType
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PPPoEACName
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PPPoEServiceName
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.ConnectionTrigger
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.RouteProtocolRx
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.X_RTK_IGMPProxy
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.X_RTK_ServiceType
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.X_RTK_IP_Version
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PPPAAuthenticationProtocol
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMappingNumberOfEntries
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.PortMappingEnabled
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.PortMappingLeaseDuration
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.RemoteHost
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.ExternalPort
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.InternalPort
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.PortMappingProtocol
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.InternalClient
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.PortMapping.{i}.PortMappingDescription
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetBytesSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetBytesReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetPacketsSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetPacketsReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetErrorsSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetErrorsReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetUnicastPacketsSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetUnicastPacketsReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetDiscardPacketsSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetDiscardPacketsReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetMulticastPacketsSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetMulticastPacketsReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetBroadcastPacketsSent
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetBroadcastPacketsReceived
 InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPPConnection.{i}.Stats.EthernetUnknownProtoPacketsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Enable
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Status
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Name
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.MACAddress
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.MACAddressControlEnabled
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.MaxBitRate
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.DuplexMode
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.BytesSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.BytesReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.PacketsSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.ErrorsSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.ErrorsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.UnicastPacketsSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.UnicastPacketsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.DiscardPacketsSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.DiscardPacketsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.MulticastPacketsSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.MulticastPacketsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.BroadcastPacketsSent
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.BroadcastPacketsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.UnknownProtoPacketsReceived
 InternetGatewayDevice.LANDevice.{i}.LANEthernetInterfaceConfig.{i}.Stats.PacketsReceived
 InternetGatewayDevice.IPPingDiagnostics.Interface
 InternetGatewayDevice.IPPingDiagnostics.Host
 InternetGatewayDevice.IPPingDiagnostics.NumberOfRepetitions
 InternetGatewayDevice.IPPingDiagnostics.Timeout
 InternetGatewayDevice.IPPingDiagnostics.DataBlockSize
 InternetGatewayDevice.IPPingDiagnostics.DSCP
 InternetGatewayDevice.IPPingDiagnostics.SuccessCount
 InternetGatewayDevice.IPPingDiagnostics.FailureCount
 InternetGatewayDevice.IPPingDiagnostics.AverageResponseTime
 InternetGatewayDevice.IPPingDiagnostics.MinimumResponseTime
 InternetGatewayDevice.IPPingDiagnostics.MaximumResponseTime
 InternetGatewayDevice.TraceRouteDiagnostics.NumberOfTries
 InternetGatewayDevice.TraceRouteDiagnostics.Timeout
 InternetGatewayDevice.TraceRouteDiagnostics.MaxHopCount
 InternetGatewayDevice.TraceRouteDiagnostics.DataBlockSize
 InternetGatewayDevice.TraceRouteDiagnostics.Host
 InternetGatewayDevice.TraceRouteDiagnostics.DiagnosticsState
 InternetGatewayDevice.TraceRouteDiagnostics.DSCP
 InternetGatewayDevice.TraceRouteDiagnostics.RouteHops
 InternetGatewayDevice.TraceRouteDiagnostics.ResponseTime
 InternetGatewayDevice.DeviceInfo.X_RTK_DeviceLogEnable
 InternetGatewayDevice.DeviceInfo.X_RTK_RemoteLogEnable
 InternetGatewayDevice.DeviceInfo.X_RTK_RemoteLogServer

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 4 из 8

InternetGatewayDevice.DeviceInfo.MemoryStatus.Total
InternetGatewayDevice.DeviceInfo.MemoryStatus.Free
InternetGatewayDevice.DeviceInfo.ProcessStatus.CPUUsage
InternetGatewayDevice.WANDevice.{i}.WANConnectionDevice.{i}.WANPPPConnection.{i}.X_RTK_CurrentPPPoEACName

Для ONT: Low, Medium, B2B (VoIP/FXS), Medium (ЦСМ)

InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfileNumberOfEntries
InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.FaxPassThrough
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Enable
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Reset
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberOfLines
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Name
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SignalingProtocol
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.MaxSessions
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.DTMFMethod
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.DTMFMethodG711
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.DigitMap
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.DigitMapEnable
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxPassThrough
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.ModemPassThrough
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38.Enable
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38.BitRate
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38.HighSpeedPacketRate
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38.HighSpeedRedundancy
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38.LowSpeedRedundancy
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.FaxT38.TCFMethod
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.X_RTK_DTMFMethodSIPInfoBody
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.MinimumNumberOfDigits
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.MaximumNumberOfDigits
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.InterDigitTimerStd
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.InterDigitTimerOpen
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.InvalidNumberTone
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfoMaxEntries
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfoNumberOfEntries
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.PrefixRange
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.PrefixMinNumberOfDigits
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.PrefixMaxNumberOfDigits
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.NumberOfDigitsToRemove
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.PosOfDigitsToRemove
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.DialTone
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.FacilityAction
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.NumberingPlan.PrefixInfo.{i}.FacilityActionArgument
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.RTP.LocalPortMin
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.RTP.LocalPortMax
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.RTP.DSCPMark
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.RTP.VLANIDMark
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.RTP.EthernetPriorityMark
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.RTP.TelephoneEventPayloadType
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Enable
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Status
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallState
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.TransmitCodec
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.ReceiveCodec
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.TransmitBitRate
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.ReceiveBitRate
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.TransmitSilenceSuppression
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.ReceiveSilenceSuppression
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.TransmitPacketizationPeriod
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.EntryID
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.Codec
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.BitRate
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.PacketizationPeriod
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.SilenceSuppression
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.Enable
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Codec.List.{i}.Priority
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Session.{i}.SessionStartTime
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Session.{i}.SessionDuration
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Session.{i}.FarEndIPAddress
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Session.{i}.FarEndUDPPort
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Session.{i}.LocalUDPPort
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallerIDEnable
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallerIDNameEnable

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 5 из 8

InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallerIDName
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallWaitingEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallWaitingStatus
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.MaxSessions
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.ConferenceCallingStatus
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.ConferenceCallingSessionCount
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardUnconditionalEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardUnconditionalNumber
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardOnBusyEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardOnBusyNumber
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardOnNoAnswerEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardOnNoAnswerNumber
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallForwardOnNoAnswerRingCount
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallTransferEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.MWIEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.MessageWaiting
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.AnonymousCallBlockEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.AnonymousCallEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.DoNotDisturbEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.CallReturnEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.RepeatDialEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.X_RTK_3PTY
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.CallingFeatures.X_RTK_3PTY_IMS.conference-uri
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.VoiceProcessing.TransmitGain
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.VoiceProcessing.ReceiveGain
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.VoiceProcessing.EchoCancellationEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.VoiceProcessing.EchoCancellationInUse
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.VoiceProcessing.EchoCancellationTail
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.PacketsSent
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.PacketsReceived
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.BytesSent
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.BytesReceived
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.PacketsLost
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.Overruns
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.Underruns
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.IncomingCallsReceived
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.IncomingCallsAnswered
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.IncomingCallsConnected
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.IncomingCallsFailed
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.OutgoingCallsAttempted
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.OutgoingCallsAnswered
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.OutgoingCallsConnected
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.OutgoingCallsFailed
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.CallsDropped
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.Stats.TotalCallTime
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.DirectoryNumber
 InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.SIP.Role
 InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.SIP.Extensions
 InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.SIP.Transports
 InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.SIP.URISchemes
 InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.SIP.EventSubscription
 InternetGatewayDevice.Services.VoiceService.{i}.Capabilities.SIP.ResponseMap
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.ProxyServer
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.ProxyServerPort
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.ProxyServerTransport
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.RegistrarServer
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.RegistrarServerPort
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.RegistrarServerTransport
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.UserAgentDomain
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.UserAgentPort
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.UserAgentTransport
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.OutboundProxy
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.OutboundProxyPort
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.Organization
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.RegistrationPeriod
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.RegisterExpires
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.UseCodecPriorityInSDPResponse
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.DSCPMark
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.VLANIDMark
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.EthernetPriorityMark
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.SIP.X_RTK_SubscribeEnable
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.SIP.AuthUserName
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.SIP.AuthPassword
 InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.Line.{i}.SIP.URI
 InternetGatewayDevice.Services.VoiceService.{i}.PhyInterface.{i}.Tests
 InternetGatewayDevice.Services.VoiceService.{i}.PhyInterface.{i}.Tests.X_RTK_LineTest.Conclusion
 InternetGatewayDevice.Services.VoiceService.{i}.PhyInterface.{i}.Tests.X_RTK_LineTest.IsTestOnBusy
 InternetGatewayDevice.Services.VoiceService.{i}.PhyInterface.{i}.Tests.X_RTK_InnerTest.OnOffHookTestResult

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 6 из 8

InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.X_RTK_PRACK
InternetGatewayDevice.Services.VoiceService.{i}.VoiceProfile.{i}.PingInterval

Для ONT: Medium, Expert, B2B (WiFi), Medium (ЦМ), Expert (ЦМ)

InternetGatewayDevice.LANInterfaces.LANWLANConfigurationNumberOfEntries
InternetGatewayDevice.LANDevice.{i}.LANWLANConfigurationNumberOfEntries
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Enable
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Status
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Name
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.BSSID
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.MaxBitRate
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Channel
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AutoChannelEnable
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AutoChannelRefreshPeriod
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.SSID
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.BeaconType
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.MACAddressControlEnabled
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Standard
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.WEPKeyIndex
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.KeyPassphrase
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.WEPEncryptionLevel
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.BasicEncryptionModes
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.BasicAuthenticationMode
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.WPAEncryptionModes
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.WPAAuthenticationMode
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.PossibleChannels
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.BasicDataTransmitRates
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.OperationalDataTransmitRates
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.PossibleDataTransmitRates
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.SSIDAdvertisementEnabled
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.RadioEnabled
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TransmitPowerSupported
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TransmitPower
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.OperatingChannelBandwidth
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.CurrentOperatingChannelBandwidth
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AutoRateFallBackEnabled
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TotalBytesSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TotalBytesReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TotalPacketsSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TotalPacketsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.TotalAssociations
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.X_RTK_CCAResult
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.X_RTK_CCAResultReport
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.X_RTK_RPIHistogramRequest
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.X_RTK_RPIHistogramReport
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.ErrorsSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.ErrorsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.UnicastPacketsSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.UnicastPacketsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.DiscardPacketsSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.DiscardPacketsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.MulticastPacketsSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.MulticastPacketsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.BroadcastPacketsSent
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.BroadcastPacketsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.Stats.UnknownProtoPacketsReceived
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AssociatedDevice.{i}.AssociatedDeviceMACAddress
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AssociatedDevice.{i}.AssociatedDeviceIPAddress
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AssociatedDevice.{i}.AssociatedDeviceAuthenticationState
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AssociatedDevice.{i}.X_RTK_RSSI
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AssociatedDevice.{i}.X_RTK_Noise
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.AssociatedDevice.{i}.X_RTK_Uptime
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.WEPKey.{i}.WEPKey
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.PreSharedKey.{i}.PreSharedKey
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.PreSharedKey.{i}.KeyPassphrase
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.RegulatoryDomain
InternetGatewayDevice.LANDevice.{i}.WLANConfiguration.{i}.X_RTK_IsolationEnable

Для ONT: B2B, Expert (WiFi Mesh)

InternetGatewayDevice.X_RTK_WiFiExtender.NodeNumberOfEntries
InternetGatewayDevice.X_RTK_WiFiExtender.RootMode
InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.RSSIValue
InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.Manufacturer
InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.ModelName
InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.SerialNumber

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 7 из 8

InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.HardwareVersion
 InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.SoftwareVersion
 InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.UpTime
 InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.Active
 InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.IPAddress
 InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.MACAddress
 InternetGatewayDevice.X_RTK_WiFiExtender.Node.{i}.Mode
 InternetGatewayDevice.X_RTK_WiFiMesh.NodeNumberOfEntries
 InternetGatewayDevice.X_RTK_WiFiMesh.RootMode
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.RSSIValue
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Manufacturer
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.ModelName
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.SerialNumber
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.HardwareVersion
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.SoftwareVersion
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.UpTime
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.MACAddress
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Active
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Interface
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.ClientNumberOfEntries
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.Active
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.LastDataDownlinkRate
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.LastDataUplinkRate
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.AssociatedDeviceMACAddress
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.AssociatedDeviceIPAddress
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.RSSI
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.Noise
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.RSSI
 InternetGatewayDevice.X_RTK_WiFiMesh.Node.{i}.Client.{i}.Uptime
 InternetGatewayDevice.X_RTK_WiFiMesh.802.11r.Enable

Для ONT: B2B (GRE)

InternetGatewayDevice.GRE.TunnelNumberOfEntries
 InternetGatewayDevice.GRE.Tunnel.{i}.Name
 InternetGatewayDevice.GRE.Tunnel.{i}.Enable
 InternetGatewayDevice.GRE.Tunnel.{i}.Status
 InternetGatewayDevice.GRE.Tunnel.{i}.RemoteEndpoints
 InternetGatewayDevice.GRE.Tunnel.{i}.KeepAlivePolicy
 InternetGatewayDevice.GRE.Tunnel.{i}.KeepAliveTimeout
 InternetGatewayDevice.GRE.Tunnel.{i}.KeepAliveThreshold
 InternetGatewayDevice.GRE.Tunnel.{i}.DeliveryHeaderProtocol
 InternetGatewayDevice.GRE.Tunnel.{i}.DefaultDSCPMark
 InternetGatewayDevice.GRE.Tunnel.{i}.ConnectedRemoteEndpoint
 InternetGatewayDevice.GRE.Tunnel.{i}.InterfaceNumberOfEntries
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.KeepAliveSent
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.KeepAliveReceived
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.BytesSent
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.BytesReceived
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.PacketsSent
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.PacketsReceived
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.ErrorsSent
 InternetGatewayDevice.GRE.Tunnel.{i}.Stats.ErrorsReceived
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.Enable
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.Status
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.Name
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.LastChange
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.LowerLayers
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.ProtocolIdOverride
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.UseChecksum
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.KeyIdentifierGenerationPolicy
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.KeyIdentifier
 InternetGatewayDevice.GRE.Tunnel.{i}.Interface.{i}.UseSequenceNumber
 InternetGatewayDevice.X_RTK_VPN.L2TP.TunnelNumberOfEntries
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.Name
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.Enable
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.Status
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.ConnectionType
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.ConnectionTrigger
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.CurrentMRUSize
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.MaxMRUSize
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.MaxMTUSize
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.Username
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.Password
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.ServerAddress
 InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.RemoteIPAddress

	Программа и методика испытаний абонентского оборудования для подтверждения соответствия универсальным техническим требованиям GPON	
Редакция: 2.2/2022	№ бизнес-процесса: БП.ПР.05	Стр. 8 из 8

InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.PPPAAuthenticationProtocol
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.PPPEncryptionProtocol
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.PPPoEServiceName
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.NATEnabled
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.IdleDisconnectTime
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.DNSEnabled
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.DNSServers
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.ExternalIPAddress
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.MACAddress
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.Uptime
InternetGatewayDevice.X_RTK_VPN.L2TP.Tunnel.{i}.MACAddressOverride